

**IN THE CLAIMS**

This is a complete and current listing of the claims, marked with status identifiers in parentheses. The following listing of claims will replace all prior versions and listings of claims in the application.

1. (Currently Amended) An internal roof cladding for a large-capacity vehicle for passenger transport, ~~in particular a rail vehicle,~~ comprising:

~~\_\_\_\_\_~~ a cladding element, ~~(1) which is arranged in the a~~ region of a door drive and including, on a side facing the longitudinal center of the vehicle, a bearing surface for making contact in a precisely fitting manner with a complementary surface formed on a further cladding element, ~~;~~ and and \_\_\_\_\_

~~\_\_\_\_\_~~ coving elements ~~(4) which adjoin~~ adjoining said cladding element in the longitudinal direction of the vehicle, ~~characterized in that the cladding element (1) has on its side facing the longitudinal center of the vehicle a bearing surface (1a) for making contact in a precisely fitting manner with a complementary surface formed on a further cladding element (2).~~

2. (Currently Amended) The internal roof cladding as claimed in claim 1, ~~characterized in that~~ wherein the further cladding element ~~(2)~~ is arranged between two elements ~~(1)~~ situated opposite one another in the transverse direction of the vehicle, each cladding a door drive, and ~~thus~~ spans the central region of the roof ~~(5)~~.

3. (Currently Amended) The internal roof cladding as claimed in claim 1, ~~characterized in that~~ wherein the further cladding element ~~(2)~~ has includes, on its a side facing the longitudinal center of the vehicle, a bearing surface (2a) ~~for making~~

contact in a precisely fitting manner with a complementary surface formed on an additional cladding element—(3).

4. (Currently Amended) The internal roof cladding as claimed in claim 3, ~~characterized in that~~wherein the additional cladding element (3)—is arranged between two further cladding elements (2)—situated opposite one another in the transverse direction of the vehicle, and ~~thus~~ spans the central region of the roof—(5).

5. (Currently Amended) The internal roof cladding as claimed in ~~one of claims 1 to 4~~, ~~characterized in that~~wherein at least one of ~~the element,~~ and cladding the door drive, ~~(1) and/or the further cladding element (2) and/or the additional cladding element (3) are or is provided with a lighting unit (6).~~

6. (Currently Amended) The internal roof cladding as claimed in ~~one of claims 1 to 5~~, ~~characterized in that~~wherein the coving elements (4)—each have a lighting unit—(7).

7. (Currently Amended) The internal roof cladding as claimed in claim 6, ~~characterized in that~~wherein the lighting unit (7) of the coving element ~~comprises~~ includes a lighting fixture, ~~which is fitted into a cutout (4a) of the coving element and which is detachably connected to the coving element (4) for replacement purposes.~~

8. (New) The internal roof cladding as claimed in claim 1, wherein the large-capacity vehicle is a rail vehicle.

9. (New) The internal roof cladding as claimed in claim 2, wherein at least one of the element, cladding the door drive, and the further cladding element is provided with a lighting unit.

10. (New) The internal roof cladding as claimed in claim 3, wherein at least one of the element, cladding the door drive, the further cladding element and the additional cladding element is provided with a lighting unit.

11. (New) The internal roof cladding as claimed in claim 4, wherein at least one of the element, cladding the door drive, the further cladding element and the additional cladding element is provided with a lighting unit.

12. (New) The internal roof cladding as claimed in claim 2, wherein the coving elements each have a lighting unit.

13. (New) The internal roof cladding as claimed in claim 3, wherein the coving elements each have a lighting unit.

14. (New) The internal roof cladding as claimed in claim 4, wherein the coving elements each have a lighting unit.

15. (New) The internal roof cladding as claimed in claim 5, wherein the coving elements each have a lighting unit.

16. (New) The internal roof cladding as claimed in claim 12, wherein the lighting unit of the coving element includes a lighting fixture, fitted into a cutout of the coving element and detachably connected to the coving element.

17. (New) The internal roof cladding as claimed in claim 13, wherein the lighting unit of the coving element includes a lighting fixture, fitted into a cutout of the coving element and detachably connected to the coving element.

18. (New) The internal roof cladding as claimed in claim 14, wherein the lighting unit of the coving element includes a

lighting fixture, fitted into a cutout of the coving element and detachably connected to the coving element.

19. (New) The internal roof cladding as claimed in claim 15, wherein the lighting unit of the coving element includes a lighting fixture, fitted into a cutout of the coving element and detachably connected to the coving element.